

## BIBLIOGRAFIA

---

<sup>1</sup> SPREAD, Stroke Prevention and Educational Awareness Diffusion. Ictus cerebrale: Linee guida italiane. Catel Hyperphar Group Spa, Milano, 2007.

<sup>2</sup> Linee-Guida sull'ictus ischemico. Gruppo di lavoro multidisciplinare per le linee-guida sull'ictus ischemico. Gruppo Evidence-Based Medicine. Azienda Sanitaria Ospedaliera San Giovanni Battista di Torino, 2002; 7.

<sup>3</sup> SL Paul, VK Srikanth, AG Thrift. The Large and Growing Burden of Stroke. Current Drug Targets, 2007; 8, 7: 786-793.

<sup>4</sup> C Gandolfo, M Conti. Stroke in young adults: epidemiology. Neurol Sci, 2003; 24: S1-S3.

<sup>5</sup> SPREAD, Stroke Prevention and Educational Awareness Diffusion. Ictus cerebrale: Linee guida italiane. Catel Hyperphar Group Spa, Milano, 2007.

<sup>6</sup> A Gaddi, AFG Cicero, A Poli, S Nascetti, D Inzitari. Cerebrovascular disease in Italy and Europe: it is necessari to prevent a 'pandemia'. Journal of Cardiovascular Risk, 2002; 9: 143-145.

<sup>7</sup> SPREAD, Stroke Prevention and Educational Awareness Diffusion. Ictus cerebrale: Linee guida italiane. Catel Hyperphar Group Spa, Milano, 2007.

<sup>8</sup> SPREAD, Stroke Prevention and Educational Awareness Diffusion. Ictus cerebrale: Linee guida italiane. Catel Hyperphar Group Spa, Milano, 2007.

<sup>9</sup> G Orlandi, A Gelli, S Fanucchi, G Tognoni, G Acerbi, L Murri. Prevalence of stroke and transient ischaemic attack in the elderly population of an Italian rural community. European Journal of Epidemiology, 2003; 18: 879-882.

<sup>10</sup> SPREAD, Stroke Prevention and Educational Awareness Diffusion. Ictus cerebrale: Linee guida italiane. Catel Hyperphar Group Spa, Milano, 2007.

<sup>11</sup> L Bergamini, B Bergamasco, R Mutani. Manuale di Neurologia Clinica. Terza Edizione aggiornata ed ampliata. Edizioni Libreria Cortina, Torino, 2001; 17: 319-329.

<sup>12</sup> Enciclopedia Medica. Istituto Geografico De Agostini, Novara, 2005; 1: 146.

<sup>13</sup> SPREAD, Stroke Prevention and Educational Awareness Diffusion. Ictus cerebrale: Linee guida italiane. Catel Hyperphar Group Spa, Milano, 2007.

---

<sup>14</sup> SC Smeltzer, BG Bare. Brunner Suddarth Infermieristica medico-chirurgica. Terza Edizione. Edizione Italiana a cura di G Nebulosi, Casa Editrice Ambrosiana, Milano, 2006; 62: 630-631.

<sup>15</sup> RD Adams, M Victor, AH Ropper. Principi di Neurologia. Edizione Italiana a cura di L Frattola, G Nappi e P Tonali. Sesta Edizione Volume 2. McGraw-Hill, Milano, 1998; 34: 745-746.

<sup>16</sup> RD Adams, M Victor, AH Ropper. Principi di Neurologia. Edizione Italiana a cura di L Frattola, G Nappi e P Tonali. Sesta Edizione Volume 2. McGraw-Hill, Milano, 1998; 34: 745-746.

<sup>17</sup> Stroke Assessment Across the Continuum of Care. Nursing Best Practice Guideline Shaping the future of Nursing. Heart and Stroke Foundation of Ontario, Toronto, 2005; 22.

<sup>18</sup> S Ricci, MG Celani, E Righetti. Stroke Units: le evidenze e i problemi. Ictus Il giornale de The Italian Stroke Forum. Perugia, 2005; 1, 2: 117-119.

<sup>19</sup> R Sterzi. Stroke unit: quale futuro in Italia? Ictus il giornale de the Italian Stroke Forum, 2005; 1,2: 120-122.

<sup>20</sup> R Laureano con la collaborazione di R Giovanetti e M Straniti. L'assistenza al paziente con ictus cerebrale acuto. Centro Scientifico Editore, Torino, 2004; XIII-XIV.

<sup>21</sup> G J Hankey, MD, FRCP, FRACP. Potential New Risk Factors for Ischemic Stroke What Is Their Potential? Stroke, 2006; 37: 2181-2188.

<sup>22</sup> SPREAD, Stroke Prevention and Educational Awareness Diffusion. Ictus cerebrale: Linee guida italiane. Catel Hyperphar Group Spa, Milano, 2007.

<sup>23</sup> G F Gensini. L'ipertensione nella razza nera. I quaderni di The Italian Stroke Forum, Roma, 2003; 3-8.

<sup>24</sup> LB Goldstein, MD, FAAN, FAHA, Chair, R Adams et al. AHA/ASA Guideline Primary Prevention of Ischemic Stroke A Guideline From the American Heart Association/American Stroke, 2006; 1590.

<sup>25</sup> GJ Hankey, MD, FRCP, FRACP. Potential New Risk Factors for Ischemic Stroke What Is Their Potential? Stroke, 2006; 37: 2181-2188.

<sup>26</sup> LB Goldstein, MD, FAAN, FAHA, Chair, R Adams et al. AHA/ASA Guideline Primary Prevention of Ischemic Stroke A Guideline From the American Heart Association/American Stroke, 2006; 1590-1591.

<sup>27</sup> SPREAD, Stroke Prevention and Educational Awareness Diffusion. Ictus cerebrale: Linee guida italiane. Catel Hyperphar Group Spa, Milano, 2007.

---

<sup>28</sup> LB Goldstein, MD, FAAN, FAHA, Chair, R Adams et al. AHA/ASA Guideline Primary Prevention of Ischemic Stroke A Guideline From the American Heart Association/American Stroke, 2006; 1592-1593.

<sup>29</sup> GJ. Hankey, MD, FRCP, FRACP. Potential New Risk Factors for Ischemic Stroke. What Is Their Potential? Stroke. 2006; 37: 2181-2188.

<sup>30</sup> KJ Niku Oksala, MD, PhD, M Heikkinen, MD, PhD et al. Smoking and the Platelet Fibrinogen Receptor Glycoprotein IIb/IIIa PIA1/A2 Polymorphism Interact in the Risk of Lacunar Stroke and Midterm Survival. Stroke, 2007; 38: 50-55.

<sup>31</sup> LB Goldstein, MD, FAAN, FAHA, Chair, R Adams et al. AHA/ASA Guideline Primary Prevention of Ischemic Stroke. A Guideline From the American Heart Association/American Stroke, Stroke, 2006; 1594-1596.

<sup>32</sup> ET Miller, DNS, RN, CRRN, FAHA, FAAN. Prevention of Transient Ischemic Attack and Stroke in Older Adults. Implementing Evidence-Based Interventions. Journal of Gerontological Nursing, 2007.

<sup>33</sup> ET Miller, DNS, RN, CRRN, FAHA, FAAN. Prevention of Transient Ischemic Attack and Stroke in Older Adults. Implementing Evidence-Based Interventions. Journal of Gerontological Nursing, 2007.

<sup>34</sup> LB Goldstein, MD, FAAN, FAHA, Chair, R Adams et al. AHA/ASA Guideline Primary Prevention of Ischemic Stroke. A Guideline From the American Heart Association/American Stroke, Stroke, 2006; 1596-1597.

<sup>35</sup> ET Miller, DNS, RN, CRRN, FAHA, FAAN. Prevention of Transient Ischemic Attack and Stroke in Older Adults. Implementing Evidence-Based Interventions. Journal of Gerontological Nursing, 2007.

<sup>36</sup> LB Goldstein, MD, FAAN, FAHA, Chair, R Adams et al. AHA/ASA Guideline Primary Prevention of Ischemic Stroke. A Guideline From the American Heart Association/American Stroke, Stroke, 2006; 1599-1602.

<sup>37</sup> ET Miller, DNS, RN, CRRN, FAHA, FAAN. Prevention of Transient Ischemic Attack and Stroke in Older Adults. Implementing Evidence-Based Interventions. Journal of Gerontological Nursing, 2007.

<sup>38</sup> LB Goldstein, MD, FAAN, FAHA, Chair, R Adams et al. AHA/ASA Guideline Primary Prevention of Ischemic Stroke. A Guideline From the American Heart Association/American Stroke, Stroke, 2006; 1604-1605.

---

<sup>39</sup> [http://www.ministerosalute.it/alimenti/resources/documenti/nutrizione/PROGETTO\\_OBIETTIVO.pdf](http://www.ministerosalute.it/alimenti/resources/documenti/nutrizione/PROGETTO_OBIETTIVO.pdf) (ultima consultazione il 01.08.2008)

<sup>40</sup> <http://www.inran.it/> (ultima consultazione il 02.08.2008)

<sup>41</sup> LB Goldstein, MD, FAAN, FAHA, Chair, R Adams et al. AHA/ASA Guideline Primary Prevention of Ischemic Stroke. A Guideline From the American Heart Association/American Stroke, Stroke, 2006; 1604.

<sup>42</sup> ET Miller, DNS, RN, CRRN, FAHA, FAAN. Prevention of Transient Ischemic Attack and Stroke in Older Adults. Implementing Evidence-Based Interventions. Journal of Gerontological Nursing, 2007.

<sup>43</sup> C Laino. Start Treatment for TIAs Sooner to Reduce Stroke Risk, New Studies Suggest. Neurology Today, 2007; 7, 22: 19-21.

<sup>44</sup> ET Miller, DNS, RN, CRRN, FAHA, FAAN. Prevention of Transient Ischemic Attack and Stroke in Older Adults. Implementing Evidence-Based Interventions. Journal of Gerontological Nursing, 2007

<sup>45</sup> GJ Hankey. Is plasma homocysteine a modifiable risk factor for stroke? Nature Clinical Practice Neurology, 2006; 2, 1: 26-33.

<sup>46</sup> Guidelines for Management of Ischaemic Stroke and Transient Ischaemic Attack 2008. The European Stroke Organisation (ESO) Executive Committee and the ESO Writing Committee. Cerebrovasc Disease, 2008; 25: 457–507.

<sup>47</sup> HP Adams, Jr, MD, FAHA, Chair, G del Zoppo et al. AHA/ASA Guideline Guidelines for the Early Management of Adults With Ischemic Stroke, Stroke, 2007; 1669.

<sup>48</sup> R Laureano. L'assistenza al paziente con ictus cerebrale acuto. Centro Scientifico Editore, Torino, 2004; 3: 40.

<sup>49</sup> Jones SP, Leathley MJ, McAdam JJ, Watkins CL. Physiological monitoring in acute stroke: a literature review. Journal of Advanced Nursing, 2007, 60, 6: 577-594.

<sup>50</sup> SPREAD, Stroke Prevention and Educational Awareness Diffusion. Ictus cerebrale: Linee guida italiane. Catel Hyperphar Group Spa, Milano, 2007.

<sup>51</sup> Cross S. Stroke care: a nursing perspective. Nursing Standard, 2008; 22, 23: 47-56.

---

<sup>52</sup> Guidelines for Management of Ischaemic Stroke and Transient Ischaemic Attack 2008.The European Stroke Organisation (ESO) Executive Committee and the ESO Writing Committee. Cerebrovasc Disease, 2008; 25: 457–507.

<sup>53</sup> Qureshi AI, Suarez JI, Yahia AM, Mohammad Y, Uzun G, Suri MF et al. Timing of neurologic deterioration in massive middle cerebral artery infarction: a multicenter review. Crit Care Med 2003; 31: 272-277.

<sup>54</sup> GJ Hankey, MD, FRCP, FRACP. Potential New Risk Factors for Ischemic Stroke. What Is Their Potential? Stroke, 2006; 37: 2181-2188.

<sup>55</sup> Latha GS, MD, RM Gilmore, MRCPI, Wyatt W, MD et al. Initial emergency department blood pressure as predictor of survival after acute ischemic stroke. Neurology, 2005; 65: 1179–1183.

<sup>56</sup> Guidelines for Management of Ischaemic Stroke and Transient Ischaemic Attack 2008.The European Stroke Organisation (ESO) Executive Committee and the ESO Writing Committee. Cerebrovasc Disease, 2008; 25: 52-53.

<sup>57</sup> HP Adams, Jr, MD, FAHA, Chair, G del Zoppo et al. AHA/ASA Guideline Guidelines for the Early Management of Adults With Ischemic Stroke, Stroke, 2007; 1669-1670.

<sup>58</sup> Correia M; Silva M; Veloso M. Cooling therapy for acute stroke [Reviews] The Cochrane Library, 2007, 4: 1-10.

<sup>59</sup> Thomas L, Cross S, Barrett J, French B, Leathley M, Sutton C et al. Treatment of urinary incontinence after stroke in adults. Cochrane Database Syst Rev 2008:CD004462.

<sup>60</sup> S Aslanyana, CJ Weira, HC Dienerc, M Kasted, KR Leesa. Pneumonia and urinary tract infection after acute ischaemic stroke: a tertiary analysis of the GAIN International trial. European Journal of Neurology, 2004, 11: 49–53.

<sup>61</sup> M Arias, LN Smith. Early mobilization of acute stroke patients. Journal of Clinical Nursing, 2005; 16: 282-288.

<sup>62</sup> SPREAD, Stroke Prevention and Educational Awareness Diffusion. Ictus cerebrale: Linee guida italiane. Catel Hyperphar Group Spa, Milano, 2007; 11: 281-282.

<sup>63</sup> Reddy M, Gill SS, Rochon PA: Preventing pressure ulcers: a systematic review. JAMA, 2006; 296: 974-984.

---

<sup>64</sup> Linee-Guida sull'ictus ischemico. Gruppo di lavoro multidisciplinare per le linee-guida sull'ictus ischemico. Gruppo Evidence-Based Medicine. Azienda Sanitaria Ospedaliera San Giovanni Battista di Torino, 2002; 7.

<sup>65</sup> C Adams. Poststroke Complications and Risk Factors. Implications for Primary Care Nurse Practitioners. The Journal for Nurse Practitioners, 2006, 533-546.

<sup>66</sup> Cross S. Stroke care: a nursing perspective. Nursing Standard, 2008; 22, 23: 47-56.

<sup>67</sup> <http://www.dcn.ed.ac.uk/clots> (ultima consultazione 01.08.2008).

<sup>68</sup> HP Adams, Jr, MD, FAHA, Chair, G del Zoppo et al. AHA/ASA Guideline Guidelines for the Early Management of Adults With Ischemic Stroke, Stroke, 2007; 1672-1674.

<sup>69</sup> Bhalla A, Wolfe CDA, Rudd AG. Management of acute physiological parameters after stroke. QJM: Monthly Journal of the Association of Physicians, 2001; 94, 3: 167-172.

<sup>70</sup> Guidelines for Management of Ischaemic Stroke and Transient Ischaemic Attack 2008. The European Stroke Organisation (ESO) Executive Committee and the ESO Writing Committee. Cerebrovasc Disease, 2008; 25: 53.

<sup>71</sup> HP Adams, Jr, MD, FAHA, Chair, G del Zoppo et al. AHA/ASA Guideline Guidelines for the Early Management of Adults With Ischemic Stroke, Stroke, 2007; 1688.

<sup>72</sup> SPREAD, Stroke Prevention and Educational Awareness Diffusion. Ictus cerebrale: Linee guida italiane. Catel Hyperphar Group Spa, Milano, 2007; 11: 275-276.

<sup>73</sup> R Laureano. L'assistenza al paziente con ictus cerebrale acuto. Centro Scientifico Editore, Torino, 2004; 4: 49-55.

<sup>74</sup> R Martino, PhD, N Foley, BASC, S Bhogal, MSC et al. Dysphagia After Stroke Incidence, Diagnosis, and Pulmonary Complications, Stroke, 2005; 36: 2756-2763.

<sup>75</sup> C Adams. Poststroke Complications and Risk Factors. Implications for Primary Care Nurse Practitioners. The Journal for Nurse Practitioners, 2006, 533-546.

<sup>76</sup> Cross S. Stroke care: a nursing perspective. Nursing Standard, 2008, 22, 23: 47-56.

<sup>77</sup> M Pizzuto, S Conte, S D'Anna, Svezzamento dalla nutrizione enterale. Il giornale dello STROKE, 2006, 1: 12-20.

---

<sup>78</sup> C Adams. Poststroke Complications and Risk Factors. Implications for Primary Care Nurse Practitioners. The Journal for Nurse Practitioners, 2006, 533-546.

<sup>79</sup> P Chiari, D Mosci, S Fontana. Valutazione di due strumenti di misura del rischio di cadute dei pazienti. Assistenza Infermieristica e Ricerca, 2002, 21, 3: 117-124.

<sup>80</sup> J Bogousslavsky, MD. William Feinberg Lecture 2002 Emotions, Mood, and Behavior After Stroke. Stroke, 2003, 34: 1046-1050.

<sup>81</sup> G Robinson-Smith, JD Grill. Recognizing Involuntary Emotional Expression Disorder. Journal of Neuroscience Nursing, 2007, 39; 4: 202-207.