

Bibliografia

- Abrams P, Freeman R, Anderstrom C and Mattiason A (1998). Tolterodine, a new antimuscarinic agent, as effective but better tolerated than oxybutinin in patients with an overactive bladder. *British Journal of Urology* 81, 801-10
- Amato Mp, Zipoli V, Portaccio E (2006) Multiple sclerosis-related cognitive changes: a review of cross-sectional and longitudinal studies. *J Neurol Sci* 245:41-46
- Atkinson L.D., Murray M.E. Capire il processo di nursing. Fondamenti di pianificazione dell'assistenza, 1995, CEA, Milano
- Autori vari. MS in focus. Disturbi vescicali. Numero 2, 2003
- Autori vari. MS in focus. Gestione della fatica, numero 1, 2003.
- Backonja M (2003) Anticonvulsivant for the treatment of neuropatic pain syndromes. *Curr Pain Headache Rep* 7:39-42
- Bakshi R. Fatigue associated with multiple sclerosis: diagnosis, impact and management. *Mult Scler.* 2003;9:219–227
- Bardsley A. A sense of control. *Nursing Times* (1999); 95, 31.
- Bassetti O. Lo specifico infermieristico, 1993, Rosini, Firenze

- Bier JC, Dethy S, Hildebrand J, Jacquy J, Manto M, Martin JJ, Seeldrayers P (2003) Effects of the oral form of ondansetron on cerebellar dysfunction. A multi-centre double-blind study. *J Neurol* 250:693-697
- Brochet B., Aspects physiopathologiques, cliniques, Therapeutiques et actuels de la sclerose en plaque, (1995), *Encycl.Med.Chir., Neurologie.*
- Cazzullo CI, Grezzi A, Zaffarano M, Zibetti A. *Sclerosi Multipla* (1993) 2th ed., Milano, Masson.
- Clanet MG and Brassett D (2000) The management of multiple sclerosis patients. *Current Opinion in Neurology* 13, 263-70
- Christodoulou C, Melville P, Scherl WF, Macallister WS, Elkins LE, Krupp LB (2006) Effects of donepezil on memory and cognition in multiple sclerosis. *J Neurol Sci* 2006;245:127-136
- Chwastiak L, Ehde DM, Gibbons LE, Sullivan M, Bowen JD, Kraft GH (2002) Depressive symptoms and severity of illness in multiple sclerosis: epidemiologic study of a large community sample. *Am J Psychiatry* 159:1862-1868
- Coggrave M, Diesel PH, Norton C and Brazelli M (2004) *Management of faecal incontinence and constipation in adults with central neurological disease* (Cochrane Review). In *The Cochrane Library*, Issue 3 John Wiley, Chichester.

- Costello K, Harris C. (2002) A nursing role in sustaining adherence. CMSC www.msca.org/cmsc/CMSC-ANurses-Role-in-Sustaining-Adherence.html
- Dasgupta R and Fowler CL (2002) Sexual and urological dysfunction in multiple sclerosis: better understanding and improved therapies. *Current Opinion in Neurology* 15, 271-278
- Dasgupta R and Fowler CL (2003) Bladder bowel and sexual dysfunction in multiple sclerosis. *Drugs* 63 (2), 153-66
- Daugherty KK et al.(2005) Factors leading patients to discontinue multiple sclerosis therapies. *J.Am.Pharm.Assoc.* 45(3): 371-5
- Davis SR (2002) The effects of tibolone on mood and libido. *Menopause* 9:162-170
- Di Benedetto V., Bevilacqua I. Incontinenza e ritenzione urinaria: prevenzione, nursing e riabilitazione, 2000
- Di Giulio P, *Nursing Oggi*, supplemento Oncologia, 1, 2002, p. 8
- Durelli L. Cocito D, Riccio A et al., High-dose intravenous methylprednisolone in the treatment of multiple sclerosis: clinical-immunologic correlations. *Neurology* 1986; 36:238-243.

- Ebers GC, Sadovnick AD. *The role of genetic factors in the multiple sclerosis susceptibility*, (1994), J Neuroimmunol 54:1-17.
- Eisenberg E, Lurie Y, Braker C, Daoud D, Ishay A (2001) Lamotrigine reduces painful neuropathy: a randomized, controlled study. Neurology 57:505-509
- Erkin GD. A critique of steroid trials in multiple sclerosis. Neuroepidemiology 1987;6:40-45
- Finlayson M (2005) Pilot study of an energy conservation education program delivered by telephone conference call to people with MS. Neuro Rehabilitation 20: 267-277
- Foley FW and Sanders A. *Sexuality and multiple sclerosis*, 1999
- Fowler CJ, Miller JR, Sharief MK, Hussain IF, Stecher VJ, Sweeney M (2005) A double blind, randomised study of sildenafil citrate for erectile dysfunction in men with multiple sclerosis. J Neurol Neurosurg Psychiatry 76:700-705
- Gatta N., Montalbano M. Il processo e il piano di nursing nell'attività infermieristica, in "Professioni infermieristiche", 39 (I):3-25 (1986)
- Gbadamosi J, Buhmann C, Moench A, Heesen C (2001) Failure of ondansetron in treating cerebellar tremor in MS patients—an open-label pilot study. Acta Neurol Scand 104:308-311

- Griffin J and Tyrell I (2003) *Human Givens: A New Approach to Emotional Health and Clear Thinking*. Human Givens Publishing, Chalvington
- Hanson EK, Yorkston KM, Beukelman DR (2004) Speech supplementation techniques for dysarthria: a systematic review. *J Med Speech Lang Pathol*
- Hennessey A. *Urinary, faecal and sexual dysfunction in patients with multiple sclerosis*, 1999.
- Hickey J (1997), *The clinical Practice of Neurological and Neurosurgical Nursing*, 4th edn. Lippincott
- [Http://www.aism.it/index.aspx?id_area=3&codpage=la_sm;](http://www.aism.it/index.aspx?id_area=3&codpage=la_sm;)
(ultima consultazione 7/2009)
- [http://msif.org/it/ms_the_disease/index.html;](http://msif.org/it/ms_the_disease/index.html)
(ultima consultazione 7/2009)
- ID. Infermiere e sclerosi multipla, Atti del secondo Convegno della Fondazione Cesare Serono – Milano, 5 giugno 2002-
- Iggulden H (2007) *Assistenza al paziente neurologico*, McGraw-Hill, Milano
- Johnson KP, Brooks BR, Cohen JA, et al. Extended use of glatiramer acetate is well tolerated and maintains its clinical effect on multiple sclerosis relapse rate and degree of disability. *Neurology* 1998; 50:701-708

- Kamensek J (1999) Continuous intrathecal baclofen infusion: an introduction and overview. *Axone* 20(3), 67-72
- Kesslerling J, Thompson AJ. Spasticity. Ataxia and fatigue in multiple sclerosis. In DH Miller (ed) *Multiple Sclerosis*. Baillière's Clin Neurol Int Pract Res 1997;6:429-445
- Krupp LB. Fatigue in multiple sclerosis: definition, pathophysiology and treatment. *CNS Drugs*. 2003;17:225–234.
- Krupp Lauren B. Fatigue in multiple sclerosis. A guide to diagnosis and management, Demos, 2004.
- Krupp LB, Christodoulou C, Melville P, Scherl WF, Macallister WS, Elkins LE (2004). Donepezil improved memory in multiple sclerosis in a randomized clinical trial. *Neurology* 63:1579-1585
- Kurtzke JF. Rating Neurological impairment in MS: an expanded disability status scale (EDSS). *Neurology* 1983;33:1444-1452
- Laan E, Van Lunsen RH, Everaerd W (2001) The effects of tadalafil on vaginal blood flow, sexual desire and arousability in postmenopausal women. *Climacteric* 4:28-41
- Landtblom AM (2006) Treatment of erectile dysfunction in Multiple Sclerosis. *Expert Rev Neurotherapeutic* 6:931-935
- Likosky WH, Fireman B, Elmore R., et al. Intense immunosuppression in chronic progressive multiple sclerosis:

the Kaiser study. J Neurol Neurosurg Psychiatry 1991;54:1055-1060

- Lublin FD, Reingold SC. Defining the clinical course of MS: results of an international survey. National Multiple Sclerosis Society (USA) Advisory Committee on clinical Trials of New Agents in Multiple Sclerosis. Neurology 1996;46:907-911
- Maimone D., Cilia S., Terrazza P., Fera F., Lijoi A. Funzioni cognitive nella sclerosi multipla, 2006
- Mancasi L. Vivere con la sclerosi multipla, Messmer Uccelli M, 2000.
- Mancuso L., Zagami L. Sclerosi multipla e aspetti cognitivi, 2003
- Matthews B. *Symptoms and signs of Multiple Sclerosis* in Mc Alpine's Multiple Sclerosis. 3rd ed. London: Churchill Livingstone, 1998.
- McDonald WI & Sears TA. Effects of demyelination on conduction in the central nervous system, (1999).
- McDonald WI, Compston A, Edan G, et al . Recommended diagnostic criteria for multiple sclerosis: guidelines from the International Panel on the diagnosis of multiple sclerosis. Ann Neurol 2001;50:121-127

- Millar JHD, Vas CJ, Noronha MJ, et al. Long-term treatment of multiple sclerosis with corticotropin. *Lancet* 1967; 2:429-431
- Miller D, Sheremata WA, Blumhardt L, et al. Results of a double-blind randomized, placebo-controlled, phase II trial of Antegren™ (Natalizumab) in subjects with relapsing multiple sclerosis. *Mult Scler* 2001;7:S16(0-32)
- Miller AE, Lublin FD, Coyle PK. *Multiple Sclerosis in Clinical Practice*. London: Martin Dunitz, 2003
- Mordente I., Cappiello S. (2001) L'importanza dell'infermiere nell'adesione al trattamento. "Infermiere e Sclerosi Multipla" *Nursing Oggi Supplemento* 2:17-19
- Mostert S, Kesserling JK (2002) Effects of a short-term exercise training program on aerobic fitness, fatigue, health perception and activity level of subject with Multiple Sclerosis. *Mult Scler* 8: 161-168
- Multiple Sclerosis – Treatment Consensus Group (MSTCG) (2004) Escalating immunotherapy of multiple sclerosis. New aspects and practical application. *J Neurol* 251:1329-1339
- NANDA -North American Nursing Diagnosis Association- Diagnosi infermieristiche. Definizioni e classificazioni 1992-1993, Sorbona, Milano

- Noseworthy JH & McDonald WI., (2004), *Sclerosi multipla*, CIC ed.,Roma
- Philadelphia Panel (2001) Philadelphia Panel evidence-based clinical practice guidelines on selected rehabilitation interventions for shoulder pain. *Phys Ther* 81: 1719-1730
- Polman CH, Bertelsmann FW, de Naal R, van Diemen HA, Uitdehaag BM, van Loenen AC, Koetsier JC (1994) 4-Aminopyridine is superior to 3,4-diaminopyridine in the treatment of patients with Multiple Sclerosis. *Arch Neurol* 51:1136-1139
- Rao SM, Leo GJ, Bernardin L. Cognitive dysfunction in multiple sclerosis. Frequency, patterns and prediction. *Neurology*. 1991;41:685-691
- Schwarz RR (2001) *Alterations in bladder elimination*. In: Stewart-Amadei C and Kinkel JA (eds), *AANN's Neuroscience Nursing:Human response to Neurologic Dysfunction*. Saunders WB, chapter 27.
- Sindrup SH, Jensen TS (2000) Pharmacologic treatment of pain in polyneuropathy. *Neurology* 55:915-920
- Slade A, Tennant A, Chamberlain MA. A randomised controlled trial to determine the effect of intensity of therapy upon length of stay in a neurological rehabilitation setting. *J Rehabil Med* 2002;34:260-266

- Smith KJ, Mc Donald WI. The pathophysiology of multiple sclerosis: the mechanisms underlying the production of symptoms and the natural history of the disease, (1999), *Philos Trans R Soc Lond B Biol Sci* 354:1649-1673.
- Solari, Filippini, Gasco et Al. Physical rehabilitation has a positive effect on disability in multiple sclerosis patients. (1999) *Neurology* 52: 57.
- Soldan SS, Jacobson S. Role of Viruses in etiology and pathogenesis of multiple sclerosis. *Adv Virus Res* (2001),56:517-555.
- The IFNB Multiple Sclerosis Study Group and the University of British Columbia MS/MRI Analysis Group, Interferon b-1b in the treatment of MS: final outcome of the randomized controlled trial. *Neurology* 1995; 45:1277-1285
- Troiani S. & Spairani C. (2005), *Nursing e sclerosi multipla*, Roma, Carocci
- Trouillas P, Takayanagi T, Hallett M, Currier RD, Subramony SH, Wessel K, Bryer A, Diener HC, Massaquoi S, Gomez CM, Coutinho P, Ben Hamida M, Campanella G, Filla A, Schut L, Timann D, Honnorat J, Nighoghossian N, Manyam B (1997) International Cooperative Ataxia Rating Scale for pharmacological assessment of the cerebellar syndrome. The

Ataxia Neuropharmacology Committee of the World Federation of Neurology. *J Neurol Sci* 145:205-211

- Venken K, Hellings N, Thewissen M, Somers V, Hensen K, Rummens JL, Medaer R, Hupperts R, Stinissen P, *Immunology*. 2008 January; 123(1): 79–89.
- Yaffe M, Fenwick E, Rosen R, Kellet J. *Sexual happiness for men: a practical approach*, 1999
- Yaffe M, Fenwick E, Rosen R, Kellet J. *Sexual happiness for women: a practical approach*, 1999
- Yura H., Walsh M.B. *Il processo di nursing*, 1992, Sorbona, Milano