

Bibliografia

- 1) British Thoracic Society. Scottish Intercollegiate Guidelines Network. Management of obstructive sleep apnea/hypopnea syndrome in adults. 2003 (www.sign.ac.uk).
- 2) G Piazzesi, C Lombardi. Mensile di formazione continua in Medicina Generale. La sindrome del Circolo Pickwick. Medici Oggi-2004, (126).
- 3) C Lombardi, F Provini, E Lungaresi. La sindrome delle apnee del sonno. Clueb, Bologna, 2003.
- 4) Lindberg E, Gislaon T: Epidemiology of sleep-related obstructive breathing. *Sleep Med Rev* 4: 411-33, 2000.
- 5) Young T, Peppard P E, Gottlieb D J: Epidemiology of obstructive sleep apnea a population health perspective; Am J Respir Crit Care Med Vol 165.1217–1239, 2002.
- 6) Martins AB, Tufik S, Moura S M G P T. Physiopathology of obstructive sleep apnea-hypopnea syndrome. J Bras Pneumol. 2007;33 (1); 93-100.
- 7) Tomlinson M. Obstructive sleep apnoea syndrome; diagnosis and management. Nursing Standard 2007; 21; 48; 49-56.
- 8) Shamsuzzaman S M, Gersh B J, Somers V K..Obstructive sleep apnea; implication for cardiac and vascular disease. Jama. 2003; 290: 1906-1914.
- 9) Budhiraja R, Parthasarathy S, Quan S F. Endothelial dysfunction in obstructive sleep apnea.. J Clin Sleep Med 2007; 3; 4.
- 10) Kato M, Roberts-Thomson P, Phillips BG, Haynes WG, Winnicki M, et al. Impairment of endothelium-dependent vasodilation of resistance vessels in patients with obstructive sleep apnea. Circulation 2000; 102; 2607-2610.
- 11) Schulz R, Mahmoudi S, Hattar K, Sibelius U, Olchewski H, Mayer K, et al. Enhanced release of superoxide from polymorphonuclear neutrophils in obstructive sleep apnea; Impact of continuous positive airway pressure.

- 12)** Shamsuzzaman S.M., Winnicki M, Lanfranci P, Wolk R, Kara T, Accurso V, et al. Elevated C- reactive protein in patients with obstructive sleep apnea. *Circulation* 2002;105:2462-2464.
- 13)** Ohayon M M, Guilleminault. Sleep-disorderd breathing and C- reactive protein: A commentary. *Sleep* 2007; 30:29-34.
- 14)** Sanner B M, Konermann M, Tepel M, Groetz J, Mummenhoff C, Zidek W. Plated function in patients with obstructive sleep apnoea syndrome. *Eur Respir J* 2001;16; 648-652.
- 15)** Fang H. Obstructive sleep apnea syndrome: a proinflammatory disorder. *J Chin Med J* 2007;120;17; 1475-1476.
- 16)** Elmasry A, Lindberg E, Berne C, Janson C, Gislason T, Tageldin M A, et al. Sleep-disorder breathing and glucose metabolism in hypertensive men: a population- based study. *J Intern Med* 2001; 249; 2; 153-161.
- 17)** Vgontzas A N, Papanicolaou D A, Bixler E O, Hopper K, Lotsikas A, Lin H M et al. Apnea and daytime sleepiness and fatigue: Relation to visceral obesity, insulin resistance, and hypercytokinemia. *J Clin Endocrinol Metab* 2000; 85; 3; 1151-1158.
- 18)** Peppard P E, Yang T, Palta M, Skatrud J. Prospective Study of the Association between sleep disordered breathing and hypertension. *N Engl J Med* 2000; 342;19;1378-1384.
- 19)** Chobanian A V, Bakris G L, Black H R, Cushman W C, Geen L A, Izzo J L. The seventh report of the Joint National Committee on prevention, detection, evalutation, and treatment of high blood pressure. *JAMA* 2003;289;2560-2571.
- 20)** Shahar E, Whitney C W, Redline S, Lee E T, Newman A B, Nieto F J, et al. Sleep-disordered breathing and cardiovascular disease. *Am J Respir Crit Care Med* 2001;163;1;19-25
- 21)** Thumber R. Obstructive sleep apnoea and cardiovascular disease-time to act! *Swiss Med WKLY* 2007;137;217-222.
- 22)** Peker Y, Hedner J, Krajoczi H, Loth S, Respiratory disturbance index an independent predictor of mortality in coronary artery disease. *Am J Respir Crit Care Med* 2000;162;81-86.

- 23)** Braga S S, Pedretti R F E. Sindrome dell'apnea del sonno. GIAC 2007;10;1.
- 24)** Provini F, Vetrugno R, Cavoli S, Cortelli P, Montagna P. Complicanze dell'ictus acuto e sistema neurovegetativo: disturbi del sonno. Neurol Sci 2006;27.
- 25)** Cahali M B. Sleep Obstructive Apnea syndrome consequences. Braz J Otorhinol 2007;73;3 (www.rborl.org.br).
- 26)** Silverberg D S, Iaina A. Treating obstructive sleep apnea improves essential hypertension and quality of life. A F M 2002;64;2;229-236.
- 27)** Shiruma R, Tatsumi K, Nakamura A, Kasahara Y, Tanabe N, Takayuki K, et al. Fat accumulation, leptin, and hypercapnia in obstructive sleep apnea-hypopnea syndrome Chest 2005;127;543-549.
- 28)** Bixler E O, Vgontzas A N, Lin H M, Have T T, Rein J, Bueno A V, et al. Prevalence of sleep-disordered breathing in women: Effects of gender. Am J Respir Crit Care Med 2001;163;3;608-613.
- 29)** Knorst M M, Fabricio F J, Barros Souza F J F, Martinez D. Obstructive sleep apnea syndrome: association with gender, obesity and sleepiness-related factors. Bras J Pneumol 2008;34;7.
- 30)** Kushida C A, Efron B, Guilleminault C. A prospective morphometric model for the obstructive sleep apnea syndrome. Ann Intern Med 1997;127;581-587.
- 31)** Tobin M J. Sleep-disordered breathing, control of breathing, respiratory muscles, pulmonary function testing In AJRCCM 2003. Am J Respir Crit Care Med 2004;169;254-264.
- 32)** Wolkove N, Elkholy O, Baltzan M, Palayew M. Sleep and aging; Sleep disorder commonly found in older people. CMAJ 2007; 176 (9); 1299-304.
- 33)** Craven R F, Hirnle C J. Principi fondamentali dell'assistenza infermieristica: Funzioni del corpo umano e assistenza infermieristica clinica. 2° ed Milano; Casa editrice Ambrosiana, 2004.
- 34)** Coccagna G. Il sonno e i suoi disturbi. 2° ed Padova; Piccin Nuova Libreria Spa 2000; 1;16-18.

- 35)** Cole C, Kathy R. Sleep Distruption In Older Adults; Harmful and by no means inevitable, it should be assessed for and treated. Am J Nursing 2007; 107 (5);40-49.
- 36)** Schlosshan D, Elliot M W.Clinical presentation and diagnosis of the obstructive sleep apnoea hypopnoea syndrome.Thorax 2004; 59; 347-352.
- 37)** Linee Guida di Procedura Diagnostica nella Sindrome delle Apnee Ostruttive nel Sonno dell'Adulto. Comissione Parietica Associazione Italiana Medicina del Sonno (AIMS) e Associazione Italiana Pneumologi Ospedalieri (AIPO).(www.sonnomed.it consultato 02-2008).
- 38)** Lanfranchi P, Braghiroli A, Giannuzzi P. La valutazione del respiro durante il sonno: curiosità o necessità clinica? Ital Heart J Suppl 2000;1;641-654.
- 39)** Strambi L F,Fantini M L,Castronovo C. Epidemiology of obstructive sleep apnea sindrome. Minerva Med 2004 ;95;187-202.
- 40)** Grunstein R R, Stenlòf K Hedner J A, Peltonen M, Karason K, Sjöström L. Two year reduction in sleep apnea symptoms and associated diabetes incidence after weight loss in severe obesity. Sleep 2007;20;6;703-710.
- 41)** Busseto L, Enzi G, Inelmen E M, Costa G, Negrin V, Sergi G, et al. Obstructive sleep apnea sindrome in morbid obesity. Chest 2005;128;618-623.
- 42)** Poulain M, Doucet M, Major G C, Drapeau V, Sériès F, Boulet L P, et al. The effect of obesity on cronic respiratory diseases: pathophysiology and therapeutic strategies. CMAJ 2006;174 (9).
- 43)** Mokhlesi B, Kryger M H, Grunstein R R. Assessment and management of patients with obesity hypoventilation syndrome. Thoracic 2008 ;5; 218- 225.
- 44)** Rowley J, Lorenzo N. Obstructive sleep apnea-hypopnea syndrome 2007 (www.emedicine.com/neuro/topic419.htm).

- 45)** Broström A, Johansson P, Strömborg A, Albers J, Mårtensson J, Svanborg E. Obstructive sleep apnea syndrome-patients perceptions of their sleep and its effects on their life situation. *JAN* 2007;57(3):318-327.
- 46)** Becker H F, Jerrentrup A, Ploch T, Psych D, Grote L, Penzel T, et al. Effect of nasal continuous positive airway pressure treatment on blood pressure in patients with obstructive sleep apnea. *Circulation*. 2003;107:68-73.
- 47)** Logan A G, Takova R, Perlikowski S M., Leung R S, Tiser A., Floras J S, et al. Hypertension and sleep apnoea: Effect of CPAP on blood pressure and baroreflex. *Eur Respir* 2003;21:241-247.
- 48)** Hla K M, Skatrud J B, Finn L, Palta M, Young T. The effects of correction of sleep-disordered breathing on BP in untreated hypertension. *Chest* 2002;122:1125-1132.
- 49)** Pepperell J C, Ramassing-Dow S, Crosthwaite N, Mullins R, Jenkinson C, Stradling J R, et al. Ambulatory blood pressure after therapeutic and subtherapeutic nasal continuous positive airway pressure for obstructive sleep apnoea: a randomised parallel trial. *Lancet* 2002;359:204-210.
- 50)** Noda A, Nakata S, Koike Y, Miyata S, Kitaichi K, Nishizawa T, et al. Continuous positive airway pressure improves daytime baroreflex sensitivity and nitric oxide production in patients with moderate to severe obstructive sleep apnea syndrome. *Hypertens Res* 2007;30(8):669-676.
- 51)** Pagel G F. Obstructive sleep apnea (OSA) in primary care: Evidence-based practice. *J AM Board Fam Med* 2007;20(4):392-398.
- 52)** Stepnowsky C J, Palau J J, Marler R R, Gifford A L. Pilot Randomized Trial of the Effect of Wireless Telemonitoring on Compliance and Treatment Efficacy in Obstructive Sleep Apnea. *J Med Internet Res*. 2007 Apr-Jun; 9(2): e14.
- 53)** Zuzola R, Rossen R. Compliance with CPAP continuous positive airway pressure therapy assessing and improving treatment outcomes. *Curr Opin Pulm Med* 2001;7(6):391-398.

- 54)** Janson C, Nòges E, Svedberg – Randt S, Lindberg E. What characterizes patients who are unable to tolerate continuous positive airway pressure (CPAP) treatment? *Respir Med* 200;94;145- 149.
- 55)** Pelletier-Fleury N, Rakotonanahary D, Fleury B. The age and other factors in the evaluation of compliance with nasal continuous positive airway pressure for obstructive sleep apnea syndrome. A Cox's proportional hazard analysis. *Sleep Med* 2001;2;3;225-232.
- 56)** Parish J M, Lyng P J, Wisbey J. Compliance with in elderly patient with OSA. *Sleep Med* 200;1;3;209-214.
- 57)** Mcardle N, Devereux G, Heidarnejad H, Engleman H M, Mackay T W, Douglas N J. Long term use of CPAP therapy for sleep apnea/hypopnea syndrome. *Am. J. Respir. Crit. Care Med* 1999;159, 4;1108-1114.
- 58)** Sin D D, Mayers I, Man G C W, Pawluk L. Long-term rates to continuous positive airway pressure in obstructive sleep apnea: a population-based study. *Chest* 2002;121;430-435.
- 59)** Neill A M, Wai H S, Bannan S P T, Beasley C R, Weatherall M, Campbell A J. Humidified nasal continuous positive airway pressure in obstructive sleep apnoea. *Eur Respir J* 2003; 22:258-262.
- 60)** Hudgel D W, Fung C. A long-term randomized, cross-over comparison of auto-titrating and standard nasal continuous airway pressure. *Sleep* 200;23;5;645-648.
- 61)** D'ortho M P, Grillier V, Corriger E, Harf A, Lofaso F. Costant vs automatic continuous positive airway pressure therapy: Home evaluation *Chest* 2000; 118;1010-1017.
- 62)** Lin H S, Prasad A S, Pan C J G, Rowley J A. Factor associated with non compliance to treatment with positive airway pressure. *Arch Otolaringolog Head Neck Surg* 2007;133;69-72.
- 63)** Hoy C J, Vennelle M, Kingshott, R N, Engleman H m, Douglas N J. Can intensive support improve continuous positive airway pressure use in patients with the sleep apnea/hypopnea syndrome? *Am J Respir Crit Care Med* 1999;159;4;1096-1100.

- 64)** Prochaska J.O, Norcross J.C, Diclemente C.C. *Changing for good.* Avon Books, 1994.
- 65)** Hui D S C, Chan J K W, Choy D K L, Ko F W S, Li T S T, Leung R C C, Lai C K W. Effects of augmented continuous positive airway pressure education and support on compliance and outcome in a Chinese population. *Chest* 2000;117:1410-1416.
- 66)** Il codice deontologico dell'infermiere. Federazione Nazionale Collegi IPASVI. Febbraio 2008; art 1-2-20.
- 67)** Linee guida per un progetto di formazione di base dell'infermiere. Federazione Nazionale Collegi IPASVI, Roma, 1999.
- 68)** Ferraresi A, Gaiani R, Manfredini M. *Educazione terapeutica: Metodologia e applicazioni.* 1° ed Roma; Carocci 2004.
- 69)** Carpenito-Moyet L J. *Manuale tascabile delle diagnosi infermieristiche.* 2° ed Milano; Casa editrice Ambrosiana 2004.